



Coloured Cable Ties

Wide Range


• Material:	UL approved Nylon 66, 94V-2. High tensile strength with low insertion force. Excellent resistance to weathering and ageing.
• Feature:	Suitable for a multitude of uses in various industries.
• Application:	Self-locking for fast and easy application.
• Operating Temperature:	-40°C to +85°C.



7.6mm Wide



9.0mm Wide



Coloured Cable Ties

Wide Range

Item No.	Colour	Width W (mm)	Thickness (mm)	Length L (mm)	Max. Bundle Diameter (mm)	Min. Tensile Strength (kg)
TR11-BLUE	Blue	7.6	1.8	370	101	55
TR11-BROWN	Brown	7.6	1.8	370	101	55
TR11-GREEN	Green	7.6	1.8	370	101	55
TR11-ORANGE	Orange	7.6	1.8	370	101	55
TR11-PURPLE	Purple	7.6	1.8	370	101	55
TR11-RED	Red	7.6	1.8	370	101	55
TR11-SILVER	Silver	7.6	1.8	370	101	55
TR11-YELLOW	Yellow	7.6	1.8	370	101	55
TR15-BLUE	Blue	9.0	1.9	450	128	80
TR15-BROWN	Brown	9.0	1.9	450	128	80
TR15-GREEN	Green	9.0	1.9	450	128	80
TR15-ORANGE	Orange	9.0	1.9	450	128	80
TR15-PURPLE	Purple	9.0	1.9	450	128	80
TR15-RED	Red	9.0	1.9	450	128	80
TR15-SILVER	Silver	9.0	1.9	450	128	80
TR15-YELLOW	Yellow	9.0	1.9	450	128	80
TR16-BLUE	Blue	9.0	2.0	550	160	80
TR16-BROWN	Brown	9.0	2.0	550	160	80
TR16-GREEN	Green	9.0	2.0	550	160	80
TR16-ORANGE	Orange	9.0	2.0	550	160	80
TR16-PURPLE	Purple	9.0	2.0	550	160	80
TR16-RED	Red	9.0	2.0	550	160	80
TR16-SILVER	Silver	9.0	2.0	550	160	80
TR21-YELLOW	Yellow	9.0	2.0	550	160	80
TR21-BLUE	Blue	9.0	2.0	762	227	80
TR21-BROWN	Brown	9.0	2.0	762	227	80
TR21-GREEN	Green	9.0	2.0	762	227	80
TR21-ORANGE	Orange	9.0	2.0	762	227	80
TR21-PURPLE	Purple	9.0	2.0	762	227	80
TR21-RED	Red	9.0	2.0	762	227	80
TR21-SILVER	Silver	9.0	2.0	762	227	80
TR21-YELLOW	Yellow	9.0	2.0	762	227	80

STORAGE AND USAGE OF NYLON CABLE TIES

BEAL UK cable ties are made from high quality Nylon 66 resin. Moisture absorption is an essential factor for this material to retain its strength and maintain optimal performance. To this end, it is important for the cable ties to be kept in a sealed package wherever possible.

Below are some helpful storage suggestions:

1. The ideal storage temperature is around 23°C with the humidity over 50%.
2. Do not open the bag before use. Please try to finish the whole package of cable ties shortly after opening or reseal the bag until you are ready to use again.
3. Do not expose directly under sunlight (except UV weather resistant cable ties).
4. Avoid storing cable ties close to warm objects (such as heaters).