



SAFETY DATA SHEET
according to Regulation (EC) No. 2020/878
Spray Paint Clear Lacquer

Revision date: 19/04/2024

Revision: 7

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name: Spray Paint Clear Lacquer ref: SPCL
Silverhook Ltd
Unit 14 Bates Road
Harold Wood, London, England
RM3 0JH
Tel.: +44 (0) 1708330500
Fax.: +44 (0) 1708330504
Email: 522@silverhook.co.uk
Responsible person email: 522@silverhook.co.uk

SECTION 2: HAZARDS IDENTIFICATION

Emergency overview

Vapors irritating to eyes and respiratory tract. Vapors may cause flash fire or explosion.

Effects of overexposure – Eye Contact

Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.

Effects of overexposure – Skin Contact

Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

Effects of overexposure - Inhalation

Headaches, dizziness, nausea, decreased blood pressure, changes in heart rate and cyanosis may result from over-exposure to vapor or skin exposure. Prolonged inhalation may be harmful.

Effects of overexposure - Ingestion

This material may be harmful or fatal if swallowed. Corrosive and may cause severe and permanent damage to mouth, throat and stomach.

Effects of overexposure – Chronic Hazards

Overexposure may cause nervous system damage. Overexposure may cause lung damage. Overexposure may cause kidney damage.

Primary Route(s) of Entry

Skin contact inhalation ingestion eye contact.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

ITME	Ingredient Name	CAS Number	% wt
01	xylene	1330-20-7	10-15
02	Acetone	67-64-1	5-15
03	Butyl acetate	123-86-4	15-25
04	acrylic resin	9003-01-4	10-20
05	pigment	no	0-15
06	DME	115-10-6	20-30

SECTION 4: FIRST AID MEASURES

First Aid – Eye Contact

Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

First Aid - Skin Contact



SAFETY DATA SHEET

according to Regulation (EC) No. 2020/878

Spray Paint Clear Lacquer

Revision date: 19/04/2024

Revision: 7

Immediately flush skin with plenty of water.

Remove clothing. Get medical attention immediately. Wash clothing separately before reuse.

First Aid - Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

First Aid - Ingestion

Get medical attention immediately. If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

Dry chemical, foam, carbon dioxide and sands.

General Fire Hazards

This product is combustible at high temperatures. Toxic fumes, gases or vapors may evolve on burning.

Hazardous Combustion Products

Carbon monoxide and carbon dioxide.

Fire-Fighting Equipment/Instructions

Use water spray to cool fire-exposed containers and as a protective screen. Wear full set of protective equipment including chemical goggles and gloves.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Containment Procedures

Contain the discharge material. Eliminate all sources of ignition or flammables that may come into contact with a spill of this material.

Clean-Up Procedures

Attempt to reclaim the free product, if this is possible. If molten product spilled, solidify and recover.

Evacuation Procedures

Isolate area. Keep unnecessary personnel away.

Special Instructions

Avoid inhalation of fumes from molten product. Avoid skin contact with molten resins. Wear appropriate protective equipment and clothing during clean-up. Do not allow the spilled product to enter public drainage systems or open water courses.

SECTION 7: HANDLING AND STORAGE

Procedures for Handling

Avoid breathing fumes if this product is used at high temperatures. Keep away from potential sources of ignition. Wash hands after handling and before eating.

Recommended Storage Methods

Keep the container tightly closed and in a cool, well-ventilated place. Store away from strong oxidizers. Do not store this material in open and unlabeled containers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

A. General Product Information - If oil mists are generated, observe the OSHA exposure limit of 5 mg/m³.

B. Component Exposure Limits - No ACGIH, NIOSH or OSHA exposure guidelines listed for the product's components.

Engineering Controls

Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces.

Eye / Face Protection

Wear safety goggles or faceshield when working with melted material.

Skin Protection

Chemically resistant gloves with thermal protection when working with melted paraffin.

Respiratory Protection

Under normal conditions, respirator is not normally required.

General

Use good industrial hygiene practices.



SAFETY DATA SHEET
according to Regulation (EC) No. 2020/878
Spray Paint Clear Lacquer

Revision date: 19/04/2024

Revision: 7

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid
Color: coloured
Odor: Stimulating
Solubility: Not determined
Specific Gravity: 0.94g/cm³@20°C
Relative Vapour Density (air=1): 2.0-3.0kg/m³
Vapour Pressure (20°C): Not determined
Flash Point (°C): Not determined
Flammability Limits (%): Not determined
Autoignition Temperature (°C): >210
% Volatile by Volume: Not determined
Solubility in water (g/L): insoluble
Melting Point/Range (°C): Not determined
Boiling Point/Range (°C): Not determined
Decomposition Point (°C): Not available
PH: 5.5-6.5
Viscosity: Not applicable
Evaporation Rate: Not available

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability
Stable
Hazardous Polymerization
Hazard polymerization will not occur.
Chemical Incompatibilities
Strong oxidizing agents (peroxides, chlorine, strong acids).
Conditions to Avoid (Stability)
Avoid excessive heat and all sources of ignition.
Hazardous Decomposition Products
Carbon dioxide, carbon monoxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity / Target Organ Information

A. General Product / Component Information - This material is typically inert. Paraffin fumes are a result of overheating product. Fumes are known to be mildly irritating to the nose, throat, and eyes.

B. Component LD50 / LC50 - No data available for product.

Epidemiology: No data available for product.

Carcinogenicity:

A. General Product / Component Information - Not listed by ACGIH, IARC, NIOSH, NTP or OSHA.

B. Component Carcinogenicity Listings - None of this product's components are listed by ACGIH, IARC, NIOSH, NTP or OSHA.

Teratogenicity / Reproductive Effects

No data available for the product as a whole.

Neurotoxicity

No data available for the product as a whole.

Mutagenicity

No data available on this product as a whole.

Other Information

No other information available.

SECTION 12: ECOLOGICAL INFORMATION



SAFETY DATA SHEET

according to Regulation (EC) No. 2020/878

Spray Paint Clear Lacquer

Revision date: 19/04/2024

Revision: 7

Ecotoxicity

No information is available on ecotoxicity of this product. Keep product out of sewers and waterways.

Environmental Fate

No information is available.

SECTION 13: DISPOSAL CONSIDERATIONS

U.S. EPA Waste Number & Descriptions

- A. General Product Information - Product as shipped does not meet the definition or characteristics of a hazardous waste.
- B. Component Waste Numbers - No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions

Incinerate the material under controlled conditions in an approved incinerator.

SECTION 14: TRANSPORT INFORMATION

Proper Shipping Name: Aerosols

Hazard Class: 2.1

UN No.: 1950

Packing Group: none

Placard/ Label: Flammable gas

Transport way: ocean shipping or land-carriage.

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulatory Information

- A. General Product Information - All components of this product are listed on the U.S. EPA TSCA Inventory.
- B. Component Information - None of this product's components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) or CERCLA (40 CFR 302.4).

State Regulations

- A. General Product Information - No components require labeling under California Proposition 65.
- B. Component Information - None of this product's components are listed on the state lists from CA, FL, MA, MN, NJ, or PA.

Other Regulations

- A. General Product Information - All known (non-proprietary) components of this product are listed on the EINECS inventory of existing chemicals.
- B. Component Information - None of this product's components are listed on the Canadian Controlled Product Ingredient Disclosure List.

SECTION 16: OTHER INFORMATION

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.