

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Reference number: SDS00123  
Issue date: 2/12/2026 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : WELD ANTI-SPATTER  
UFI : 2F10-G0CU-0004-N3GJ  
Vaporizer : Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Protective coatings

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Beal (UK) Ltd Ltd  
Sterling Works  
Texas Street  
Tingley (A650) Leeds – West Yorkshire LS27 0HG  
UK  
T +44(0)113 253 8888 - F +44(0)113 253 0223  
[sales@beal.org.uk](mailto:sales@beal.org.uk)

#### 1.4. Emergency telephone number

Emergency number : +44(0)113 253 8888

| Country        | Organisation/Company   | Address                | Emergency number | Comment                           |
|----------------|--|------------------------|------------------|-----------------------------------|
| United Kingdom | NHS 111/NHS 24/NHS Direct  |                        | 111<br>0845 4647 | or call a doctor                  |
| United Kingdom | National Poisons Information Service<br>(Birmingham Centre)<br>City Hospital | Dudley Road<br>B18 7QH | 0344 892 0111    | Only for healthcare professionals |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP)

: Danger

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                |  |
|--------------------------------|--|
| Hazard statements (CLP)        | : H222 - Extremely flammable aerosol.<br>H229 - Pressurised container: May burst if heated.  |
| Precautionary statements (CLP) | : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.<br>No smoking.<br>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.<br>P211 - Do not spray on an open flame or other ignition source.<br>P251 - Do not pierce or burn, even after use.<br>P271 - Use only outdoors or in a well-ventilated area.<br>P102 - Keep out of reach of children.<br>P261 - Avoid breathing vapours, spray.<br>Dispose of in accordance with relevant local regulations. |

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier   | %         | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-----------|---|
| PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS<br>substance with national workplace exposure limit(s) (GB) | CAS-No.: 68476-85-7<br>EC-No.: 270-704-2<br>REACH-no: 2119463258-33-XXXX | $\geq 50$ | Flam. Gas 1A, H220<br>Press. Gas (Liq.), H280                   |

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : IF exposed or concerned: Get medical advice/attention.   |
| First-aid measures after inhalation   | : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.  |
| First-aid measures after eye contact  | : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after inhalation   | : Inhalation may cause irritation (cough, short breathing, difficulty in breathing). |
| Symptoms/effects after skin contact | : Contact with the liquefied gas may cause frostbite. May cause moderate irritation. |
| Symptoms/effects after eye contact  | : May cause eye irritation.  |
| Symptoms/effects after ingestion    | : May cause irritation to the digestive tract.                                       |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Foam. Carbon dioxide. Water fog.  
Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Extremely flammable aerosol.  
Explosion hazard : Pressurised container: May burst if heated. May form flammable/explosive vapour-air mixture. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

- Precautionary measures fire : Eliminate all ignition sources if safe to do so. Evacuate area. Fight fire remotely due to the risk of explosion. Cool down the containers exposed to heat with a water spray.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Ensure there is adequate ventilation.  
Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Remove all sources of ignition.  
Methods for cleaning up : Absorb remaining liquid with sand or inert absorbent and remove to safe place.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.3. Specific end use(s)

For further information refer to section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (68476-85-7) |  |
|--|--|
| United Kingdom - Occupational Exposure Limits          |  |
| Local name   | Liquefied petroleum gas  |
| WEL TWA (OEL TWA) [1]                                  | 1750 mg/m <sup>3</sup>   |
| WEL TWA (OEL TWA) [2]                                  | 1000 ppm   |
| WEL STEL (OEL STEL)                                    | 2180 mg/m <sup>3</sup>   |
| WEL STEL (OEL STEL) [ppm]                              | 1250 ppm   |
| Remark   | Carc (Capable of causing cancer and/or heritable genetic damage (only applies if LPG contains more than 0.1% of buta-1,3-diene)) |
| Regulatory reference                                   | EH40/2005 (Fourth edition, 2020). HSE  |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

| Eye protection |                      |                 |          |
|----------------|----------------------|-----------------|----------|
| Type           | Field of application | Characteristics | Standard |
| Safety goggles | Droplet              | Plastic         | EN 166   |

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

| Hand protection   |   |            |                |             |          |
|-------------------|---|------------|----------------|-------------|----------|
| Type              | Material  | Permeation | Thickness (mm) | Penetration | Standard |
| Disposable gloves | Nitrile rubber (NBR),<br>Neoprene rubber (HNBR) |            |                |             | EN 374-2 |

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state                                  | : Liquid   |
| Colour  | : Not available  |
| Appearance                                      | : Aerosol.   |
| Odour   | : Not available  |
| Odour threshold                                 | : Not available  |
| Melting point                                   | : Not applicable   |
| Freezing point                                  | : Not available  |
| Boiling point                                   | : Not available  |
| Flammability                                    | : Extremely flammable aerosol.                                       |
| Explosive properties                            | : Pressurised container: May burst if heated.                        |
| Lower explosion limit                           | : Not available  |
| Upper explosion limit                           | : Not available  |
| Flash point                                     | : < -40 °C Data stated for propellant.                               |
| Auto-ignition temperature                       | : 410 – 580 °C Data stated for propellant.                           |
| Decomposition temperature                       | : Not available  |
| pH  | : Not available  |
| Viscosity, kinematic                            | : Not available  |
| Solubility                                      | : Not available  |
| Partition coefficient n-octanol/water (Log Kow) | : Not available  |
| Vapour pressure                                 | : 590 – 1760 hPa @45 degrees Centigrade. Data stated for propellant. |
| Vapour pressure at 50°C                         | : Not available  |
| Density   | : Not available  |
| Relative density                                | : Not available  |
| Relative vapour density at 20°C                 | : Not available  |
| Particle characteristics                        | : Not applicable   |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients : 96 %

#### 9.2.2. Other safety characteristics

No additional information available

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                                   |                  |
|-----------------------------------|------------------|
| Acute toxicity (oral)             | : Not classified |
| Acute toxicity (dermal)           | : Not classified |
| Acute toxicity (inhalation)       | : Not classified |
| Skin corrosion/irritation         | : Not classified |
| Serious eye damage/irritation     | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity            | : Not classified |
| Carcinogenicity                   | : Not classified |
| Reproductive toxicity             | : Not classified |
| STOT-single exposure              | : Not classified |
| STOT-repeated exposure            | : Not classified |

#### PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (68476-85-7)

|                                       |   |
|---------------------------------------|---|
| LOAEC (inhalation, rat, gas, 90 days) | 12000 ppm Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other: |
|---------------------------------------|---|

Aspiration hazard : Not classified

#### WELD ANTI-SPATTER

|           |         |
|-----------|---------|
| Vaporizer | Aerosol |
|-----------|---------|

#### 11.2. Information on other hazards

##### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : None known

##### 11.2.2. Other information

No additional information available

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified  
Not rapidly degradable

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Other adverse effects : Volatile Organic Compounds (VOC).

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Comply with local regulations for disposal.

### SECTION 14: Transport information






In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG                  | IATA                             | ADN                   | RID                   |
|---|-----------------------|----------------------------------|-----------------------|-----------------------|
| <b>14.1. UN number or ID number</b>     |                       |                                  |                       |                       |
| UN 1950                                 | UN 1950               | UN 1950                          | UN 1950               | UN 1950               |
| <b>14.2. UN proper shipping name</b>    |                       |                                  |                       |                       |
| AEROSOLS                                | AEROSOLS              | Aerosols, flammable              | AEROSOLS              | AEROSOLS              |
| <b>Transport document description</b>   |                       |                                  |                       |                       |
| UN 1950 AEROSOLS, 2.1, (D)              | UN 1950 AEROSOLS, 2.1 | UN 1950 Aerosols, flammable, 2.1 | UN 1950 AEROSOLS, 2.1 | UN 1950 AEROSOLS, 2.1 |
| <b>14.3. Transport hazard class(es)</b> |                       |                                  |                       |                       |
| 2.1                                     | 2.1                   | 2.1                              | 2.1                   | 2.1                   |

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR   | IMDG  | IATA  | ADN   | RID   |
|---|---|---|---|---|
|  |  |  |  |  |
| <b>14.4. Packing group</b>  |   |   |   |   |
| Not applicable  | Not applicable  | Not applicable  | Not applicable  | Not applicable  |
| <b>14.5. Environmental hazards</b>  |   |   |   |   |
| Dangerous for the environment: No   | Dangerous for the environment: No<br>Marine pollutant: No                         | Dangerous for the environment: No   | Dangerous for the environment: No   | Dangerous for the environment: No   |
| No supplementary information available  |   |   |   |   |

### 14.6. Special precautions for user

#### Overland transport

|   |                      |
|---|----------------------|
| Classification code (ADR)   | : 5F                 |
| Special provisions (ADR)  | : 190, 327, 344, 625 |
| Limited quantities (ADR)  | : 1I                 |
| Excepted quantities (ADR)   | : E0                 |
| Packing instructions (ADR)  | : P207, LP200        |
| Special packing provisions (ADR)  | : PP87, RR6, L2      |
| Mixed packing provisions (ADR)  | : MP9                |
| Transport category (ADR)  | : 2                  |
| Special provisions for carriage - Packages (ADR)                        | : V14                |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV9, CV12          |
| Special provisions for carriage - Operation (ADR)                       | : S2                 |
| Tunnel restriction code (ADR)   | : D                  |

#### Transport by sea

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Special provisions (IMDG)         | : 63, 190, 277, 327, 344, 381, 959 |
| Limited quantities (IMDG)         | : SP277                            |
| Excepted quantities (IMDG)        | : E0                               |
| Packing instructions (IMDG)       | : P207, LP200                      |
| Special packing provisions (IMDG) | : PP87, L2                         |
| EmS-No. (Fire)                    | : F-D                              |
| EmS-No. (Spillage)                | : S-U                              |
| Stowage category (IMDG)           | : None                             |
| Stowage and handling (IMDG)       | : SW1, SW22                        |
| Segregation (IMDG)                | : SG69                             |

#### Air transport

|  |                    |
|--|--------------------|
| PCA Excepted quantities (IATA)               | : E0               |
| PCA Limited quantities (IATA)                | : Y203             |
| PCA limited quantity max net quantity (IATA) | : 30kgG            |
| PCA packing instructions (IATA)              | : 203              |
| PCA max net quantity (IATA)                  | : 75kg             |
| CAO packing instructions (IATA)              | : 203              |
| CAO max net quantity (IATA)                  | : 150kg            |
| Special provisions (IATA)                    | : A145, A167, A802 |
| ERG code (IATA)                              | : 10L              |

#### Inland waterway transport

|                           |                      |
|---------------------------|----------------------|
| Classification code (ADN) | : 5F                 |
| Special provisions (ADN)  | : 190, 327, 344, 625 |
| Limited quantities (ADN)  | : 1 L                |
| Excepted quantities (ADN) | : E0                 |

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01, VE04  
Number of blue cones/lights (ADN) : 1

### Rail transport

Classification code (RID) : 5F  
Special provisions (RID) : 190, 327, 344, 625  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E0  
Packing instructions (RID) : P207, LP200  
Special packing provisions (RID) : PP87, RR6, L2  
Mixed packing provisions (RID) : MP9  
Transport category (RID) : 2  
Special provisions for carriage – Packages (RID) : W14  
Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12  
Colis express (express parcels) (RID) : CE2  
Hazard identification number (RID) : 23

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| COD                         | Chemical oxygen demand (COD)  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| EN                          | European Standard   |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OECD                        | Organisation for Economic Co-operation and Development  |
| OEL                         | Occupational Exposure Limit   |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS                         | Safety Data Sheet   |
| STP                         | Sewage treatment plant  |
| ThOD                        | Theoretical oxygen demand (ThOD)  |
| TLM                         | Median Tolerance Limit  |
| VOC                         | Volatile Organic Compounds  |
| CAS-No.                     | Chemical Abstract Service number  |
| N.O.S.                      | Not Otherwise Specified   |
| vPvB                        | Very Persistent and Very Bioaccumulative  |
| ED                          | Endocrine disrupting properties   |

| Full text of H- and EUH-statements: |                              |
|-------------------------------------|------------------------------|
| Flam. Gas 1A                        | Flammable gases, Category 1A |

# WELD ANTI-SPATTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| H220                                | Extremely flammable gas.                            |
| H222                                | Extremely flammable aerosol.                        |
| H229                                | Pressurised container: May burst if heated.         |
| H280                                | Contains gas under pressure; may explode if heated. |
| Press. Gas (Liq.)                   | Gases under pressure : Liquefied gas                |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.